130729

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Treatment or	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2011)		Mental Health Treatment Only ¹ (2011)	Substance Use Treatment at a Specialty Facility Only ² (2010)	Substance Use Treatment at a Specialty Facility Only ² (2011)	Treatment and	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2011)
TOTAL	32,823	32,709	30,368	30,530	1,317	1,046	1,122	1,112
DEPENDENCE OR ABUSE	5,785 ^a	5,107	4,271	3,876	699	582	801	647
Any Mental Illness	3,821 ^b	3,162	2,889 ^a	2,365	224	248	703	550
Serious Mental Illness	1,751	1,469	1,272	1,078	87	86	392	304
Moderate Mental Illness	906	689	703	553	49	48	149	88
Mild Mental Illness	1,165	1,004	915	733	88	114	161	158
No Mental Illness	1,964	1,945	1,381	1,511	475	334	98	97
NO DEPENDENCE OR ABUSE	27,038	27,602	26,097	26,654	618	464	321	465
Any Mental Illness	14,104	14,037	13,690	13,633	186	105	228	299
Serious Mental Illness	4,620	4,469	4,521	4,341	2	14	98	115
Moderate Mental Illness	3,846	4,106	3,725	3,995	63	22	58	89
Mild Mental Illness	5,637	5,462	5,443	5,298	122	70	73	94
No Mental Illness	12,934	13,565	12,407	13,021	432	359	93	166

 Table 1.33A (REVISED)
 Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past
Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year
Level of Mental Illness: Numbers in Thousands, 2010 and 2011

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health:* Mental Health Findings).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at http://samhsa.gov/data/default.aspx.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

130729

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Treatment or	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2011)		Mental Health Treatment Only ¹ (2011)	Substance Use Treatment at a Specialty Facility Only ² (2010)	Substance Use Treatment at a Specialty Facility Only ² (2011)	Treatment and	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2011)
TOTAL	14.4	14.1	13.3	13.2	0.6	0.4	0.5	0.5
DEPENDENCE OR ABUSE	28.4	27.1	21.0	20.6	3.4	3.1	3.9	3.4
Any Mental Illness	48.6	46.5	36.8	34.8	2.9	3.6	8.9	8.1
Serious Mental Illness	73.5	69.3	53.4	50.9	3.6	4.1	16.4	14.3
Moderate Mental Illness	43.5	43.1	33.8	34.6	2.4	3.0	7.2	5.5
Mild Mental Illness	34.3	32.6	26.9	23.8	2.6	3.7	4.7	5.1
No Mental Illness	15.7	16.2	11.0	12.6	3.8	2.8	0.8	0.8
NO DEPENDENCE OR ABUSE	13.0	12.9	12.5	12.5	0.3	0.2	0.2	0.2
Any Mental Illness	42.1	40.7	40.9	39.5	0.6	0.3	0.7	0.9
Serious Mental Illness	66.7	65.0	65.2	63.1	0.0	0.2	1.4	1.7
Moderate Mental Illness	49.7	47.1	48.1	45.8	0.8	0.2	0.7	1.0
Mild Mental Illness	30.0	28.9	28.9	28.0	0.6	0.4	0.4	0.5
No Mental Illness	7.4	7.6	7.1	7.3	0.2	0.2	0.1	0.1

Table 1.33B (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past
Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year
Level of Mental Illness: Percentages, 2010 and 2011

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health:* Mental Health Findings).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at http://samhsa.gov/data/default.aspx.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.